ELSEVIER

Chemical Physics 254 (2000) 421–425

Chemical Physics

www.elsevier.nl/locate/chemphys

Author index

Alikhani, E.M., see Krim, L. 254 (2000) 267
Aloisio, S., and J.S. Francisco, A density functional study of H_2O–OClO, $(H_2O)_2$–OClO and H_2O–ClOO complexes 254 (2000) 1
Angulo, G., see Galán, M. 254 (2000) 329
Azria, R., see Tronc, M. 254 (2000) 69

Balta, B., and F.A. Gianturco, Structural properties and quantum effects in protonated helium clusters. I. The ab initio interaction potential 254 (2000) 203
Balta, B., F.A. Gianturco and F. Paesani, Structural properties and quantum effects in protonated helium clusters. II. Quantum Monte Carlo calculations for the smaller aggregates 254 (2000) 215
Baranović, G., see Stepanić, V. 254 (2000) 151
Basilevsky, M.V., see Vener, M.V. 254 (2000) 249
Baumgarten, M., see Karabunarliev, S. 254 (2000) 239
Bibinov, N.K., A.A. Fateev, D.B. Kokh, E.V. Lugovoj and A.M. Pravilov, Optical transitions from the chlorine $0_u^+(^3P_2)$ ion-pair state 254 (2000) 89
Bliß, B., U. Lommatzsch, C. Monte, W. Rettig and B. Brutschy, Supersonic jet and solution studies of intramolecular complexes with TICT formation mimicking solute–solvent interaction 254 (2000) 407
Bonamy, J., see Bruet, X. 254 (2000) 297
Borras-Almenar, J.J., J.M. Clemente-Juan, E. Coronado, A.V. Palii and B.S. Tsukerblat, Anisotropic double exchange in orbitally degenerate mixed valence systems 254 (2000) 275
Boullant, E., see Chevreau, H. 254 (2000) 99
Bruet, X., J. Bonamy and M.L. Dubernet-Tuckey, Broadening and shifting coefficients of Raman isotropic $Q(j)(j=0,1,2)$ lines for pure H_2: coupled states and semiclassical calculations. Comparison with experiments 254 (2000) 297
Brutschy, B., see Bliß, B. 254 (2000) 407

Cabaleiro-Lago, E.M., and M.A. Ríos, Ab initio study of $M(CH_3CN)_n$ clusters ($M=Li^+$, Na^+, Mg^{2+}) in the gas phase 254 (2000) 11
Cabaleiro-Lago, E.M., see García-Muruais, A. 254 (2000) 109
Castaño, F., see Merelas, I. 254 (2000) 77
Cataliotti, R.S., see Morresi, A. 254 (2000) 337
Chen, M., see Zhang, L. 254 (2000) 231

PII: S0301-0104(00)00075-6

Chevreau, H., E. Boullant, C. Dézarnaud-Dandine and A. Sevin, A theoretical exploratory study of low-energy (1–2 eV) electron catalysis in the $CO_2+H_2\rightarrow$ HCOOH gas phase process 254 (2000) 99
Cisowski, J., see Mazurak, Z. 254 (2000) 25
Clemente-Juan, J.M., see Borras-Almenar, J.J. 254 (2000) 275
Cloutier, P., see Tronc, M. 254 (2000) 69
Coronado, E., see Borras-Almenar, J.J. 254 (2000) 275
Czaja, M., see Mazurak, Z. 254 (2000) 25

Dézarnaud-Dandine, C., see Chevreau, H. 254 (2000) 99
Derecskei-Kovacs, A., see Li, R. 254 (2000) 309
Dimitrova, Y., and S. Peyerimhoff, Ab initio study of structures of hydrogen-bonded nitric acid complexes 254 (2000) 125
Dubernet-Tuckey, M.L., see Bruet, X. 254 (2000) 297

Edvardsson, D., see Potts, A.W. 254 (2000) 385

Fateev, A.A., see Bibinov, N.K. 254 (2000) 89
Faure, A., L. Wiesenfeld and P. Valiron, Temperature dependence of fast neutral–neutral reactions: a triatomic model study 254 (2000) 49
Fedorov, A.V., and D.L. Snavely, Direct correlation method for OH, NH and CH local modes: vibrational overtone spectroscopy of biphenyl, anthracene, isobutanol, 2-chloroethanol and ethylenediamine at the third overtone region 254 (2000) 169
Feller, K.-H., see Malyshev, V.A. 254 (2000) 31
Fernández, J.A., see Merelas, I. 254 (2000) 77
Francisco, J.S., see Aloisio, S. 254 (2000) 1

Galán, M., and G. Angulo, Some remarks on the application of relaxation techniques to chemical equilibria 254 (2000) 329
Galasso, V., D. Jones, A. Modelli and M.L. Trudell, A study of the molecular structure and spectroscopic properties of benzo- and pyrido-tetraazapentalenes 254 (2000) 375
García-Muruais, A., E.M. Cabaleiro-Lago, J.M. Hermida-Ramón and M.A. Ríos, The study of $A(CH_3OH)_{1-6}$ ($A=Li^+$, Na^+) in the gas phase based on ab initio calculations, analysis of the solvation process 254 (2000) 109
Ghosh, S.K., see Samanta, A. 254 (2000) 39
Gianturco, F.A., see Balta, B. 254 (2000) 203
Gianturco, F.A., see Balta, B. 254 (2000) 215
Glaeske, H., see Malyshev, V.A. 254 (2000) 31
Glasbeek, M., see Humbs, W. 254 (2000) 319
Gratz, H., and A. Penzkofer, Singlet–singlet excited-state absorption and triplet–triplet absorption of *meso*-tetraphenylporphine 254 (2000) 363

Hayes, M.A., see Potts, A.W. 254 (2000) 385
Heimann, J., see Mazurak, Z. 254 (2000) 25
Hermida-Ramón, J.M., see García-Muruais, A. 254 (2000) 109
Holland, D.M.P., see Potts, A.W. 254 (2000) 385
Humbs, W., H. Zhang and M. Glasbeek, Femtosecond fluorescence upconversion spectroscopy of vapor-deposited tris(8-hydroxyquinoline) aluminum films 254 (2000) 319
Husain, D., see Merelas, I. 254 (2000) 77

Jones, D., see Galasso, V. 254 (2000) 375

Küpper, J., see Schmitt, M. 254 (2000) 349
Karabunarliev, S., and M. Baumgarten, Using antiferromagnetic couplers for high-spin ground states in ion radicals 254 (2000) 239
Karlsson, L., see Potts, A.W. 254 (2000) 385
Kokh, D.B., see Bibinov, N.K. 254 (2000) 89
Kozlov, G.G., see Malyshev, V.A. 254 (2000) 31
Krim, L., C. Prot, E.M. Alikhani and L. Manceron, Reactions of ground state Ti atoms with NO: insertion versus complexation. An IR matrix isolation study 254 (2000) 267

Le Coat, Y., see Tronc, M. 254 (2000) 69
Li, R., A. Derecskei-Kovacs and S.W. North, The unimolecular dissociation of 2-butenenitrile: measurements of the CN elimination channel using FM Doppler spectroscopy 254 (2000) 309
Lommatzsch, U., see Bliß, B. 254 (2000) 407
Lugovoj, E.V., see Bibinov, N.K. 254 (2000) 89

MacDonald, M.A., see Potts, A.W. 254 (2000) 385
Malyshev, V.A., G.G. Kozlov, H. Glaeske and K.-H. Feller, Channels of the exciton–exciton annihilation in one-dimensional aggregates at low temperature 254 (2000) 31
Manceron, L., see Krim, L. 254 (2000) 267
Maripuu, R., see Potts, A.W. 254 (2000) 385
Mazurak, Z., J. Cisowski, J. Heimann, A. Nateprov and M. Czaja, Magnetic susceptibility and luminescence of α-$ZnAl_2S_4$ tiospinel doped with chromium 254 (2000) 25
Merelas, I., J.A. Fernández, P. Puyuelo, M.N. Sánchez Rayo, D. Husain and F. Castaño, The collisional removal of the carbene $CCl_2(\tilde{X}(0,0,0))$ and $CCl_2(\tilde{A}^1B_1(0,7,0))$ by rare gases and simple molecules 254 (2000) 77
Modelli, A., see Galasso, V. 254 (2000) 375
Monte, C., see Bliß, B. 254 (2000) 407
Morresi, A., P. Sassi, M. Paolantoni, S. Santini and R.S. Cataliotti, Solvent effect on the vibrational dephasing of the ν_2 (CN) and ν_4 (CC) stretching modes in liquid acetonitrile and acetonitrile-d_3 254 (2000) 337

Nateprov, A., see Mazurak, Z. 254 (2000) 25
North, S.W., see Li, R. 254 (2000) 309

Paesani, F., see Balta, B. 254 (2000) 215
Palii, A.V., see Borras-Almenar, J.J. 254 (2000) 275
Paolantoni, M., see Morresi, A. 254 (2000) 337
Penzkofer, A., see Gratz, H. 254 (2000) 363
Petsalakis, I.D., and G. Theodorakopoulos, Electronic states of CF^+ 254 (2000) 181
Peyerimhoff, S., see Dimitrova, Y. 254 (2000) 125
Potts, A.W., D. Edvardsson, L. Karlsson, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, R. Maripuu, K. Siegbahn and W. von Niessen, An experimental and theoretical study of the valence shell photoelectron spectrum of the chlorobenzene molecule 254 (2000) 385
Pravilov, A.M., see Bibinov, N.K. 254 (2000) 89

Prot, C., see Krim, L. 254 (2000) 267
Puyuelo, P., see Merelas, I. 254 (2000) 77

Qin, Q.-Z., see Zhang, L. 254 (2000) 231

Ríos, M.A., see Cabaleiro-Lago, E.M. 254 (2000) 11
Ríos, M.A., see García-Muruais, A. 254 (2000) 109
Rettig, W., see Bliß, B. 254 (2000) 407
Rostov, I.V., see Vener, M.V. 254 (2000) 249

Sánchez Rayo, M.N., see Merelas, I. 254 (2000) 77
Samanta, A., and S.K. Ghosh, Role of inertial and non-Markovian effects on activated barrier crossing dynamics for charge transfer reactions in solution 254 (2000) 39
Sanche, L., see Tronc, M. 254 (2000) 69
Santini, S., see Morresi, A. 254 (2000) 337
Sassi, P., see Morresi, A. 254 (2000) 337
Schmitt, M., J. Küpper, D. Spangenberg and A. Westphal, Determination of the structures and barriers to hindered internal rotation of the phenol–methanol cluster in the S_0 and S_1 states 254 (2000) 349
Sevin, A., see Chevreau, H. 254 (2000) 99
Siegbahn, K., see Potts, A.W. 254 (2000) 385
Snavely, D.L., see Fedorov, A.V. 254 (2000) 169
Soudackov, A.V., see Vener, M.V. 254 (2000) 249
Spangenberg, D., see Schmitt, M. 254 (2000) 349
Spanget-Larsen, J., E.W. Thulstrup and J. Waluk, Electronic states of diphenyl- and dipyridyl-*s*-tetrazines: linear and magnetic circular dichroism, and quantum chemical calculations 254 (2000) 135
Stepanić, V., and G. Baranović, Ground and excited states of isodiazene – an ab initio study 254 (2000) 151

Theodorakopoulos, G., see Petsalakis, I.D. 254 (2000) 181
Thulstrup, E.W., see Spanget-Larsen, J. 254 (2000) 135
Tronc, M., R. Azria, Y. Le Coat, P. Cloutier and L. Sanche, Kinetic energy distributions for O^- and metastable CO^* produced by electron stimulated desorption from condensed CO_2 254 (2000) 69
Trudell, M.L., see Galasso, V. 254 (2000) 375
Tsukerblat, B.S., see Borras-Almenar, J.J. 254 (2000) 275

Valiron, P., see Faure, A. 254 (2000) 49
Vener, M.V., I.V. Rostov, A.V. Soudackov and M.V. Basilevsky, Semiempirical modeling free energy surfaces for proton transfer in polar aprotic solvents 254 (2000) 249
von Niessen, W., see Potts, A.W. 254 (2000) 385

Waluk, J., see Spanget-Larsen, J. 254 (2000) 135
Wang, X., see Zhang, L. 254 (2000) 231
Westphal, A., see Schmitt, M. 254 (2000) 349
Wiesenfeld, L., see Faure, A. 254 (2000) 49

You, X.-Z., see Zhu, X.-L. 254 (2000) 287

Zanchini, C., Silylcyanides and silylisocyanides: a comparative theoretical study 254 (2000) 187
Zhang, H., see Humbs, W. 254 (2000) 319
Zhang, L., X. Wang, M. Chen and Q.-Z. Qin, Activation of CO_2 by Zr atom. Matrix-isolation FTIR spectroscopy and density functional studies 254 (2000) 231
Zhang, Y., see Zhu, X.-L. 254 (2000) 287
Zhu, X.-L., X.-Z. You and Y. Zhang, A novel approach to calculation of the second-order nonlinear optical susceptibilities of organic crystals based on energy-band theory 254 (2000) 287

ELSEVIER

Chemical Physics 254 (2000) 427–438

Chemical Physics

www.elsevier.nl/locate/chemphys

Subject index

Methods and constructs

Theoretical

Computational methods for electronic structure

A density functional study of H_2O–OClO, $(H_2O)_2$–OClO and H_2O–ClOO complexes, S. Aloisio and J.S. Francisco 254 (2000) 1

Ab initio study of $M(CH_3CN)_n$ clusters ($M=Li^+$, Na^+, Mg^{2+}) in the gas phase, E.M. Cabaleiro-Lago and M.A. Ríos 254 (2000) 11

Magnetic susceptibility and luminescence of α-$ZnAl_2S_4$ tiospinel doped with chromium, Z. Mazurak, J. Cisowski, J. Heimann, A. Nateprov and M. Czaja 254 (2000) 25

A theoretical exploratory study of low-energy (1–2 eV) electron catalysis in the $CO_2+H_2 \rightarrow HCOOH$ gas phase process, H. Chevreau, E. Boullant, C. Dézarnaud-Dandine and A. Sevin 254 (2000) 99

The study of $A(CH_3OH)_{1-6}$ ($A=Li^+$, Na^+) in the gas phase based on ab initio calculations, analysis of the solvation process, A. García-Muruais, E.M. Cabaleiro-Lago, J.M. Hermida-Ramón and M.A. Ríos 254 (2000) 109

Ab initio study of structures of hydrogen-bonded nitric acid complexes, Y. Dimitrova and S. Peyerimhoff 254 (2000) 125

Electronic states of diphenyl- and dipyridyl-*s*-tetrazines: linear and magnetic circular dichroism, and quantum chemical calculations, J. Spanget-Larsen, E.W. Thulstrup and J. Waluk 254 (2000) 135

Ground and excited states of isodiazene – an ab initio study, V. Stepanić and G. Baranović 254 (2000) 151

Direct correlation method for OH, NH and CH local modes: vibrational overtone spectroscopy of biphenyl, anthracene, isobutanol, 2-chloroethanol and ethylenediamine at the third overtone region, A.V. Fedorov and D.L. Snavely 254 (2000) 169

Silylcyanides and silylisocyanides: a comparative theoretical study, C. Zanchini 254 (2000) 187

Structural properties and quantum effects in protonated helium clusters. I. The ab initio interaction potential, B. Balta and F.A. Gianturco 254 (2000) 203

Using antiferromagnetic couplers for high-spin ground states in ion radicals, S. Karabunarliev and M. Baumgarten 254 (2000) 239

PII: S0301-0104(00)00076-8

-CI and valence bond approach
Electronic states of CF^+, I.D. Petsalakis and G. Theodorakopoulos 254 (2000) 181

-density functional theory
Silylcyanides and silylisocyanides: a comparative theoretical study, C. Zanchini 254 (2000) 187
Structural properties and quantum effects in protonated helium clusters. I. The ab initio interaction potential, B. Balta and F.A. Gianturco 254 (2000) 203
Activation of CO_2 by Zr atom. Matrix-isolation FTIR spectroscopy and density functional studies, L. Zhang, X. Wang, M. Chen and Q.-Z. Qin 254 (2000) 231

Semiempirical methods
Using antiferromagnetic couplers for high-spin ground states in ion radicals, S. Karabunarliev and M. Baumgarten 254 (2000) 239
Semiempirical modeling free energy surfaces for proton transfer in polar aprotic solvents, M.V. Vener, I.V. Rostov, A.V. Soudackov and M.V. Basilevsky 254 (2000) 249
Reactions of ground state Ti atoms with NO: insertion versus complexation. An IR matrix isolation study, L. Krim, C. Prot, E.M. Alikhani and L. Manceron 254 (2000) 267

Spin states and magnetic interactions
Magnetic susceptibility and luminescence of α-$ZnAl_2S_4$ tiospinel doped with chromium, Z. Mazurak, J. Cisowski, J. Heimann, A. Nateprov and M. Czaja 254 (2000) 25
Anisotropic double exchange in orbitally degenerate mixed valence systems, J.J. Borras-Almenar, J.M. Clemente-Juan, E. Coronado, A.V. Palii and B.S. Tsukerblat 254 (2000) 275

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)
Channels of the exciton–exciton annihilation in one-dimensional aggregates at low temperature, V.A. Malyshev, G.G. Kozlov, H. Glaeske and K.-H. Feller 254 (2000) 31
Electronic states of diphenyl- and dipyridyl-*s*-tetrazines: linear and magnetic circular dichroism, and quantum chemical calculations, J. Spanget-Larsen, E.W. Thulstrup and J. Waluk 254 (2000) 135
A novel approach to calculation of the second-order nonlinear optical susceptibilities of organic crystals based on energy-band theory, X.-L. Zhu, X.-Z. You and Y. Zhang 254 (2000) 287

Radiative (incl. relativistic) effects on molecules and molecular processes
Broadening and shifting coefficients of Raman isotropic $Q(j)(j=0,1,2)$ lines for pure H_2: coupled states and semiclassical calculations. Comparison with experiments, X. Bruet, J. Bonamy and M.L. Dubernet-Tuckey 254 (2000) 297

Scattering of waves and particles
Broadening and shifting coefficients of Raman isotropic $Q(j)(j=0,1,2)$ lines for pure H_2: coupled states and semiclassical calculations. Comparison with experiments, X. Bruet, J. Bonamy and M.L. Dubernet-Tuckey 254 (2000) 297

Intramolecular dynamics
The unimolecular dissociation of 2-butenenitrile: measurements of the CN elimination channel using FM Doppler spectroscopy, R. Li, A. Derecskei-Kovacs and S.W. North 254 (2000) 309

Femtosecond fluorescence upconversion spectroscopy of vapor-deposited tris(8-hydroxyquinoline) aluminum films, W. Humbs, H. Zhang and M. Glasbeek 254 (2000) 319

Molecular dynamics of many particle systems and condensed phases
Role of inertial and non-Markovian effects on activated barrier crossing dynamics for charge transfer reactions in solution, A. Samanta and S.K. Ghosh 254 (2000) 39

Statistical computational methods (incl. Monte Carlo)
Temperature dependence of fast neutral–neutral reactions: a triatomic model study, A. Faure, L. Wiesenfeld and P. Valiron 254 (2000) 49
Structural properties and quantum effects in protonated helium clusters. II. Quantum Monte Carlo calculations for the smaller aggregates, B. Balta, F.A. Gianturco and F. Paesani 254 (2000) 215

Dynamics of structures, lattices and macromolecular conformations
Channels of the exciton–exciton annihilation in one-dimensional aggregates at low temperature, V.A. Malyshev, G.G. Kozlov, H. Glaeske and K.-H. Feller 254 (2000) 31

Fluctuations and random processes
Some remarks on the application of relaxation techniques to chemical equilibria, M. Galán and G. Angulo 254 (2000) 329

Non-equilibrium statistical mechanics
Role of inertial and non-Markovian effects on activated barrier crossing dynamics for charge transfer reactions in solution, A. Samanta and S.K. Ghosh 254 (2000) 39

Experiment

Magnetic resonances
Using antiferromagnetic couplers for high-spin ground states in ion radicals, S. Karabunarliev and M. Baumgarten 254 (2000) 239

Molecular spectroscopy
The collisional removal of the carbene $CCl_2(\tilde{X}(0,0,0))$ and $CCl_2(\tilde{A}^1B_1(0,7,0))$ by rare gases and simple molecules, I. Merelas, J.A. Fernández, P. Puyuelo, M.N. Sánchez Rayo, D. Husain and F. Castaño 254 (2000) 77
Electronic states of diphenyl- and dipyridyl-*s*-tetrazines: linear and magnetic circular dichroism, and quantum chemical calculations, J. Spanget-Larsen, E.W. Thulstrup and J. Waluk 254 (2000) 135
Ground and excited states of isodiazene – an ab initio study, V. Stepanić and G. Baranović 254 (2000) 151
Some remarks on the application of relaxation techniques to chemical equilibria, M. Galán and G. Angulo 254 (2000) 329
Solvent effect on the vibrational dephasing of the ν_2 (CN) and ν_4 (CC) stretching modes in liquid acetonitrile and acetonitrile-d_3, A. Morresi, P. Sassi, M. Paolantoni, S. Santini and R.S. Cataliotti 254 (2000) 337

Determination of the structures and barriers to hindered internal rotation of the phenol–methanol cluster in the S_0 and S_1 states, M. Schmitt, J. Küpper, D. Spangenberg and A. Westphal 254 (2000) 349

-infrared

Activation of CO_2 by Zr atom. Matrix-isolation FTIR spectroscopy and density functional studies, L. Zhang, X. Wang, M. Chen and Q.-Z. Qin 254 (2000) 231

Reactions of ground state Ti atoms with NO: insertion versus complexation. An IR matrix isolation study, L. Krim, C. Prot, E.M. Alikhani and L. Manceron 254 (2000) 267

-visible

Singlet–singlet excited-state absorption and triplet–triplet absorption of *meso*-tetraphenylporphine, H. Gratz and A. Penzkofer 254 (2000) 363

Photoelectron and Auger spectroscopy

A study of the molecular structure and spectroscopic properties of benzo- and pyridotetraazapentalenes, V. Galasso, D. Jones, A. Modelli and M.L. Trudell 254 (2000) 375

An experimental and theoretical study of the valence shell photoelectron spectrum of the chlorobenzene molecule, A.W. Potts, D. Edvardsson, L. Karlsson, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, R. Maripuu, K. Siegbahn and W. von Niessen 254 (2000) 385

Multiphoton ionization

Supersonic jet and solution studies of intramolecular complexes with TICT formation mimicking solute–solvent interaction, B. Bliß, U. Lommatzsch, C. Monte, W. Rettig and B. Brutschy 254 (2000) 407

Electron impact spectroscopy

Kinetic energy distributions for O^- and metastable CO^* produced by electron stimulated desorption from condensed CO_2, M. Tronc, R. Azria, Y.L. Coat, P. Cloutier and L. Sanche 254 (2000) 69

Laser induced fluorescence

The collisional removal of the carbene $CCl_2(\tilde{X}(0,0,0))$ and $CCl_2(\tilde{A}^1B_1(0,7,0))$ by rare gases and simple molecules, I. Merelas, J.A. Fernández, P. Puyuelo, M.N. Sánchez Rayo, D. Husain and F. Castaño 254 (2000) 77

Optical transitions from the chlorine $0_u^+(^3P_2)$ ion-pair state, N.K. Bibinov, A.A. Fateev, D.B. Kokh, E.V. Lugovoj and A.M. Pravilov 254 (2000) 89

Determination of the structures and barriers to hindered internal rotation of the phenol–methanol cluster in the S_0 and S_1 states, M. Schmitt, J. Küpper, D. Spangenberg and A. Westphal 254 (2000) 349

Supersonic jet and solution studies of intramolecular complexes with TICT formation mimicking solute–solvent interaction, B. Bliß, U. Lommatzsch, C. Monte, W. Rettig and B. Brutschy 254 (2000) 407

Ultrafast measurements

Femtosecond fluorescence upconversion spectroscopy of vapor-deposited tris(8-hydroxyquinoline) aluminum films, W. Humbs, H. Zhang and M. Glasbeek 254 (2000) 319

Singlet–singlet excited-state absorption and triplet–triplet absorption of *meso*-tetraphenylporphine, H. Gratz and A. Penzkofer 254 (2000) 363

Nonlinear optics and spectroscopy
Singlet–singlet excited-state absorption and triplet–triplet absorption of *meso*-tetraphenylporphine, H. Gratz and A. Penzkofer 254 (2000) 363

Synchrotron spectroscopies
An experimental and theoretical study of the valence shell photoelectron spectrum of the chlorobenzene molecule, A.W. Potts, D. Edvardsson, L. Karlsson, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, R. Maripuu, K. Siegbahn and W. von Niessen 254 (2000) 385

Optical pumping
Magnetic susceptibility and luminescence of α-$ZnAl_2S_4$ tiospinel doped with chromium, Z. Mazurak, J. Cisowski, J. Heimann, A. Nateprov and M. Czaja 254 (2000) 25

Optoacoustic spectroscopy
Direct correlation method for OH, NH and CH local modes: vibrational overtone spectroscopy of biphenyl, anthracene, isobutanol, 2-chloroethanol and ethylenediamine at the third overtone region, A.V. Fedorov and D.L. Snavely 254 (2000) 169

Mass spectroscopy
Kinetic energy distributions for O^- and metastable CO^* produced by electron stimulated desorption from condensed CO_2, M. Tronc, R. Azria, Y. Le Coat, P. Cloutier and L. Sanche 254 (2000) 69

Measurement of macroscopic variables
Some remarks on the application of relaxation techniques to chemical equilibria, M. Galán and G. Angulo 254 (2000) 329

Objects

Bulk systems

Gases
The collisional removal of the carbene $CCl_2(\tilde{X}(0,0,0))$ and $CCl_2(\tilde{A}^1B_1(0,7,0))$ by rare gases and simple molecules, I. Merelas, J.A. Fernández, P. Puyuelo, M.N. Sánchez Rayo, D. Husain and F. Castaño 254 (2000) 77
Optical transitions from the chlorine $0_u^+(^3P_2)$ ion-pair state, N.K. Bibinov, A.A. Fateev, D.B. Kokh, E.V. Lugovoj and A.M. Pravilov 254 (2000) 89
Ground and excited states of isodiazene – an ab initio study, V. Stepanić and G. Baranović 254 (2000) 151
Structural properties and quantum effects in protonated helium clusters. I. The ab initio interaction potential, B. Balta and F.A. Gianturco 254 (2000) 203

Structural properties and quantum effects in protonated helium clusters. II. Quantum Monte Carlo calculations for the smaller aggregates, B. Balta, F.A. Gianturco and F. Paesani 254 (2000) 215
Broadening and shifting coefficients of Raman isotropic $Q(j)(j=0,1,2)$ lines for pure H_2: coupled states and semiclassical calculations. Comparison with experiments, X. Bruet, J. Bonamy and M.L. Dubernet-Tuckey 254 (2000) 297

Supersonic beams
Supersonic jet and solution studies of intramolecular complexes with TICT formation mimicking solute–solvent interaction, B. Bliß, U. Lommatzsch, C. Monte, W. Rettig and B. Brutschy 254 (2000) 407

Liquid mixtures and solutions
Role of inertial and non-Markovian effects on activated barrier crossing dynamics for charge transfer reactions in solution, A. Samanta and S.K. Ghosh 254 (2000) 39
Semiempirical modeling free energy surfaces for proton transfer in polar aprotic solvents, M.V. Vener, I.V. Rostov, A.V. Soudackov and M.V. Basilevsky 254 (2000) 249
Some remarks on the application of relaxation techniques to chemical equilibria, M. Galán and G. Angulo 254 (2000) 329
Solvent effect on the vibrational dephasing of the ν_2 (CN) and ν_4 (CC) stretching modes in liquid acetonitrile and acetonitrile-d_3, A. Morresi, P. Sassi, M. Paolantoni, S. Santini and R.S. Cataliotti 254 (2000) 337

Crystals
Magnetic susceptibility and luminescence of α-$ZnAl_2S_4$ tiospinel doped with chromium, Z. Mazurak, J. Cisowski, J. Heimann, A. Nateprov and M. Czaja 254 (2000) 25
A novel approach to calculation of the second-order nonlinear optical susceptibilities of organic crystals based on energy-band theory, X.-L. Zhu, X.-Z. You and Y. Zhang 254 (2000) 287

Complex fluids
Role of inertial and non-Markovian effects on activated barrier crossing dynamics for charge transfer reactions in solution, A. Samanta and S.K. Ghosh 254 (2000) 39

Polymers
Electronic states of diphenyl- and dipyridyl-*s*-tetrazines: linear and magnetic circular dichroism, and quantum chemical calculations, J. Spanget-Larsen, E.W. Thulstrup and J. Waluk 254 (2000) 135

Thin films
Channels of the exciton–exciton annihilation in one-dimensional aggregates at low temperature, V.A. Malyshev, G.G. Kozlov, H. Glaeske and K.-H. Feller 254 (2000) 31
Femtosecond fluorescence upconversion spectroscopy of vapor-deposited tris(8-hydroxyquinoline) aluminum films, W. Humbs, H. Zhang and M. Glasbeek 254 (2000) 319

Surfaces
Kinetic energy distributions for O^- and metastable CO^* produced by electron stimulated desorption from condensed CO_2, M. Tronc, R. Azria, Y. Le Coat, P. Cloutier and L. Sanche 254 (2000) 69

Microscopic and mesoscopic systems

Molecules (neutral and ionic)

Magnetic susceptibility and luminescence of α-$ZnAl_2S_4$ tiospinel doped with chromium, Z. Mazurak, J. Cisowski, J. Heimann, A. Nateprov and M. Czaja 254 (2000) 25

Optical transitions from the chlorine $0_u^+(^3P_2)$ ion-pair state, N.K. Bibinov, A.A. Fateev, D.B. Kokh, E.V. Lugovoj and A.M. Pravilov 254 (2000) 89

Direct correlation method for OH, NH and CH local modes: vibrational overtone spectroscopy of biphenyl, anthracene, isobutanol, 2-chloroethanol and ethylenediamine at the third overtone region, A.V. Fedorov and D.L. Snavely 254 (2000) 169

Silylcyanides and silylisocyanides: a comparative theoretical study, C. Zanchini 254 (2000) 187

Solvent effect on the vibrational dephasing of the ν_2 (CN) and ν_4 (CC) stretching modes in liquid acetonitrile and acetonitrile-d_3, A. Morresi, P. Sassi, M. Paolantoni, S. Santini and R.S. Cataliotti 254 (2000) 337

-diatomic

Electronic states of CF^+, I.D. Petsalakis and G. Theodorakopoulos 254 (2000) 181

Broadening and shifting coefficients of Raman isotropic $Q(j)(j=0,1,2)$ lines for pure H_2: coupled states and semiclassical calculations. Comparison with experiments , X. Bruet, J. Bonamy and M.L. Dubernet-Tuckey 254 (2000) 297

-small polyatomics

A theoretical exploratory study of low-energy (1–2 eV) electron catalysis in the $CO_2+H_2 \rightarrow HCOOH$ gas phase process, H. Chevreau, E. Boullant, C. Dézarnaud-Dandine and A. Sevin 254 (2000) 99

Ground and excited states of isodiazene – an ab initio study, V. Stepanić and G. Baranović 254 (2000) 151

Silylcyanides and silylisocyanides: a comparative theoretical study, C. Zanchini 254 (2000) 187

Reactions of ground state Ti atoms with NO: insertion versus complexation. An IR matrix isolation study, L. Krim, C. Prot, E.M. Alikhani and L. Manceron 254 (2000) 267

The unimolecular dissociation of 2-butenenitrile: measurements of the CN elimination channel using FM Doppler spectroscopy, R. Li, A. Derecskei-Kovacs and S.W. North 254 (2000) 309

-aromatics

Electronic states of diphenyl- and dipyridyl-*s*-tetrazines: linear and magnetic circular dichroism, and quantum chemical calculations, J. Spanget-Larsen, E.W. Thulstrup and J. Waluk 254 (2000) 135

Singlet–singlet excited-state absorption and triplet–triplet absorption of *meso*-tetraphenylporphine, H. Gratz and A. Penzkofer 254 (2000) 363

A study of the molecular structure and spectroscopic properties of benzo- and pyridotetraazapentalenes, V. Galasso, D. Jones, A. Modelli and M.L. Trudell 254 (2000) 375

An experimental and theoretical study of the valence shell photoelectron spectrum of the chlorobenzene molecule, A.W. Potts, D. Edvardsson, L. Karlsson, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, R. Maripuu, K. Siegbahn and W. von Niessen 254 (2000) 385

Molecular aggregates
Channels of the exciton–exciton annihilation in one-dimensional aggregates at low temperature, V.A. Malyshev, G.G. Kozlov, H. Glaeske and K.-H. Feller 254 (2000) 31
Temperature dependence of fast neutral–neutral reactions: a triatomic model study, A. Faure, L. Wiesenfeld and P. Valiron 254 (2000) 49
The study of $A(CH_3OH)_{1-6}$ ($A=Li^+$, Na^+) in the gas phase based on ab initio calculations, analysis of the solvation process, A. García-Muruais, E.M. Cabaleiro-Lago, J.M. Hermida-Ramón and M.A. Ríos 254 (2000) 109
Ab initio study of structures of hydrogen-bonded nitric acid complexes, Y. Dimitrova and S. Peyerimhoff 254 (2000) 125
Supersonic jet and solution studies of intramolecular complexes with TICT formation mimicking solute–solvent interaction, B. Bliß, U. Lommatzsch, C. Monte, W. Rettig and B. Brutschy 254 (2000) 407

-dimers
Anisotropic double exchange in orbitally degenerate mixed valence systems, J.J. Borras-Almenar, J.M. Clemente-Juan, E. Coronado, A.V. Palii and B.S. Tsukerblat 254 (2000) 275

-clusters
Structural properties and quantum effects in protonated helium clusters. I. The ab initio interaction potential, B. Balta and F.A. Gianturco 254 (2000) 203
Structural properties and quantum effects in protonated helium clusters. II. Quantum Monte Carlo calculations for the smaller aggregates, B. Balta, F.A. Gianturco and F. Paesani 254 (2000) 215
Determination of the structures and barriers to hindered internal rotation of the phenol–methanol cluster in the S_0 and S_1 states, M. Schmitt, J. Küpper, D. Spangenberg and A. Westphal 254 (2000) 349

-complexes
A density functional study of H_2O–OClO, $(H_2O)_2$–OClO and H_2O–ClOO complexes, S. Aloisio and J.S. Francisco 254 (2000) 1
Ab initio study of $M(CH_3CN)_n$ clusters ($M=Li^+$, Na^+, Mg^{2+}) in the gas phase, E.M. Cabaleiro-Lago and M.A. Ríos 254 (2000) 11
Semiempirical modeling free energy surfaces for proton transfer in polar aprotic solvents, M.V. Vener, I.V. Rostov, A.V. Soudackov and M.V. Basilevsky 254 (2000) 249

Free radicals (incl. hydronium and muonium)
The collisional removal of the carbene $CCl_2(\tilde{X}(0,0,0))$ and $CCl_2(\tilde{A}^1B_1(0,7,0))$ by rare gases and simple molecules, I. Merelas, J.A. Fernández, P. Puyuelo, M.N. Sánchez Rayo, D. Husain and F. Castaño 254 (2000) 77
The unimolecular dissociation of 2-butenenitrile: measurements of the CN elimination channel using FM Doppler spectroscopy, R. Li, A. Derecskei-Kovacs and S.W. North 254 (2000) 309

Ions and charge carriers
A theoretical exploratory study of low-energy (1–2 eV) electron catalysis in the $CO_2+H_2 \rightarrow HCOOH$ gas phase process, H. Chevreau, E. Boullant, C. Dézarnaud-Dandine and A. Sevin 254 (2000) 99

Proteins
Some remarks on the application of relaxation techniques to chemical equilibria, M. Galán and G. Angulo 254 (2000) 329

Phenomena

Molecular structure
A theoretical exploratory study of low-energy (1–2 eV) electron catalysis in the $CO_2+H_2 \rightarrow HCOOH$ gas phase process, H. Chevreau, E. Boullant, C. Dézarnaud-Dandine and A. Sevin 254 (2000) 99
Ab initio study of structures of hydrogen-bonded nitric acid complexes, Y. Dimitrova and S. Peyerimhoff 254 (2000) 125
Silylcyanides and silylisocyanides: a comparative theoretical study, C. Zanchini 254 (2000) 187
Structural properties and quantum effects in protonated helium clusters. II. Quantum Monte Carlo calculations for the smaller aggregates, B. Balta, F.A. Gianturco and F. Paesani 254 (2000) 215
Activation of CO_2 by Zr atom. Matrix-isolation FTIR spectroscopy and density functional studies, L. Zhang, X. Wang, M. Chen and Q.-Z. Qin 254 (2000) 231
Reactions of ground state Ti atoms with NO: insertion versus complexation. An IR matrix isolation study, L. Krim, C. Prot, E.M. Alikhani and L. Manceron 254 (2000) 267
Determination of the structures and barriers to hindered internal rotation of the phenol–methanol cluster in the S_0 and S_1 states, M. Schmitt, J. Küpper, D. Spangenberg and A. Westphal 254 (2000) 349
A study of the molecular structure and spectroscopic properties of benzo- and pyrido-tetraazapentalenes, V. Galasso, D. Jones, A. Modelli and M.L. Trudell 254 (2000) 375

Vibrations and rotations of molecules
A density functional study of H_2O–OClO, $(H_2O)_2$–OClO and H_2O–ClOO complexes, S. Aloisio and J.S. Francisco 254 (2000) 1
Direct correlation method for OH, NH and CH local modes: vibrational overtone spectroscopy of biphenyl, anthracene, isobutanol, 2-chloroethanol and ethylenediamine at the third overtone region, A.V. Fedorov and D.L. Snavely 254 (2000) 169
Activation of CO_2 by Zr atom. Matrix-isolation FTIR spectroscopy and density functional studies, L. Zhang, X. Wang, M. Chen and Q.-Z. Qin 254 (2000) 231
Broadening and shifting coefficients of Raman isotropic $Q(j)(j=0,1,2)$ lines for pure H_2: coupled states and semiclassical calculations. Comparison with experiments, X. Bruet, J. Bonamy and M.L. Dubernet-Tuckey 254 (2000) 297
Solvent effect on the vibrational dephasing of the ν_2 (CN) and ν_4 (CC) stretching modes in liquid acetonitrile and acetonitrile-d_3, A. Morresi, P. Sassi, M. Paolantoni, S. Santini and R.S. Cataliotti 254 (2000) 337

Electronic structure and states
The collisional removal of the carbene $CCl_2(\tilde{X}(0,0,0))$ and $CCl_2(\tilde{A}^1B_1(0,7,0))$ by rare gases and simple molecules, I. Merelas, J.A. Fernández, P. Puyuelo, M.N. Sánchez Rayo, D. Husain and F. Castaño 254 (2000) 77

Ground and excited states of isodiazene – an ab initio study, V. Stepanić and G. Baranović 254 (2000) 151
Electronic states of CF^+, I.D. Petsalakis and G. Theodorakopoulos 254 (2000) 181
Structural properties and quantum effects in protonated helium clusters. I. The ab initio interaction potential, B. Balta and F.A. Gianturco 254 (2000) 203
Activation of CO_2 by Zr atom. Matrix-isolation FTIR spectroscopy and density functional studies, L. Zhang, X. Wang, M. Chen and Q.-Z. Qin 254 (2000) 231
Using antiferromagnetic couplers for high-spin ground states in ion radicals, S. Karabunarliev and M. Baumgarten 254 (2000) 239
Anisotropic double exchange in orbitally degenerate mixed valence systems, J.J. Borras-Almenar, J.M. Clemente-Juan, E. Coronado, A.V. Palii and B.S. Tsukerblat 254 (2000) 275
A study of the molecular structure and spectroscopic properties of benzo- and pyrido-tetraazapentalenes, V. Galasso, D. Jones, A. Modelli and M.L. Trudell 254 (2000) 375
An experimental and theoretical study of the valence shell photoelectron spectrum of the chlorobenzene molecule, A.W. Potts, D. Edvardsson, L. Karlsson, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, R. Maripuu, K. Siegbahn and W. von Niessen 254 (2000) 385

Spin splittings
Using antiferromagnetic couplers for high-spin ground states in ion radicals, S. Karabunarliev and M. Baumgarten 254 (2000) 239

Molecular interactions
Determination of the structures and barriers to hindered internal rotation of the phenol–methanol cluster in the S_0 and S_1 states, M. Schmitt, J. Küpper, D. Spangenberg and A. Westphal 254 (2000) 349

Energy transfer processes
Femtosecond fluorescence upconversion spectroscopy of vapor-deposited tris(8-hydroxyquinoline) aluminum films, W. Humbs, H. Zhang and M. Glasbeek 254 (2000) 319

Molecular photophysical processes
Singlet–singlet excited-state absorption and triplet–triplet absorption of *meso*-tetraphenylporphine, H. Gratz and A. Penzkofer 254 (2000) 363
An experimental and theoretical study of the valence shell photoelectron spectrum of the chlorobenzene molecule, A.W. Potts, D. Edvardsson, L. Karlsson, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, R. Maripuu, K. Siegbahn and W. von Niessen 254 (2000) 385
Supersonic jet and solution studies of intramolecular complexes with TICT formation mimicking solute–solvent interaction, B. Bliß, U. Lommatzsch, C. Monte, W. Rettig and B. Brutschy 254 (2000) 407

Photochemistry
The unimolecular dissociation of 2-butenenitrile: measurements of the CN elimination channel using FM Doppler spectroscopy, R. Li, A. Derecskei-Kovacs and S.W. North 254 (2000) 309

Intramolecular dynamics

-radiationless transitions

Optical transitions from the chlorine $0_u^+(^3P_2)$ ion-pair state, N.K. Bibinov, A.A. Fateev, D.B. Kokh, E.V. Lugovoj and A.M. Pravilov 254 (2000) 89

Luminescence spectra, yields and lifetimes

Femtosecond fluorescence upconversion spectroscopy of vapor-deposited tris (8-hydroxyquinoline) aluminum films, W. Humbs, H. Zhang and M. Glasbeek 254 (2000) 319

Nonlinear responses (incl. optical)

Channels of the exciton–exciton annihilation in one-dimensional aggregates at low temperature, V.A. Malyshev, G.G. Kozlov, H. Glaeske and K.-H. Feller 254 (2000) 31

A novel approach to calculation of the second-order nonlinear optical susceptibilities of organic crystals based on energy-band theory, X.-L. Zhu, X.-Z. You and Y. Zhang 254 (2000) 287

Reactions (incl. dissociation)

Temperature dependence of fast neutral–neutral reactions: a triatomic model study, A. Faure, L. Wiesenfeld and P. Valiron 254 (2000) 49

A theoretical exploratory study of low-energy (1–2 eV) electron catalysis in the $CO_2+H_2 \rightarrow HCOOH$ gas phase process, H. Chevreau, E. Boullant, C. Dézarnaud-Dandine and A. Sevin 254 (2000) 99

Reactions of ground state Ti atoms with NO: insertion versus complexation. An IR matrix isolation study, L. Krim, C. Prot, E.M. Alikhani and L. Manceron 254 (2000) 267

-isolated molecules

The unimolecular dissociation of 2-butenenitrile: measurements of the CN elimination channel using FM Doppler spectroscopy, R. Li, A. Derecskei-Kovacs and S.W. North 254 (2000) 309

-condensed phase

Role of inertial and non-Markovian effects on activated barrier crossing dynamics for charge transfer reactions in solution, A. Samanta and S.K. Ghosh 254 (2000) 39

Kinetic energy distributions for O^- and metastable CO^* produced by electron stimulated desorption from condensed CO_2, M. Tronc, R. Azria, Y. Le Coat, P. Cloutier and L. Sanche 254 (2000) 69

Electron transfer

Anisotropic double exchange in orbitally degenerate mixed valence systems, J.J. Borras-Almenar, J.M. Clemente-Juan, E. Coronado, A.V. Palii and B.S. Tsukerblat 254 (2000) 275

Proton and hydrogen atom transfer

Semiempirical modeling free energy surfaces for proton transfer in polar aprotic solvents, M.V. Vener, I.V. Rostov, A.V. Soudackov and M.V. Basilevsky 254 (2000) 249

Surface chemical physics

-desorption

Kinetic energy distributions for O^- and metastable CO^* produced by electron stimulated desorption from condensed CO_2, M. Tronc, R. Azria, Y. Le Coat, P. Cloutier and L. Sanche 254 (2000) 69

Structure of solids, liquids and glasses

Structural properties and quantum effects in protonated helium clusters. II. Quantum Monte Carlo calculations for the smaller aggregates, B. Balta, F.A. Gianturco and F. Paesani 254 (2000) 215